ELSEVIER

Journal of Petroleum Science and Engineering 26 (2000) 319–321

JOURNAL OF PETROLEUM SCIENCE & ENGINEERING

www.elsevier.nl/locate/jpetscieng

Author Index Volume 26 (2000)

Abasov, M.T., Z.Y. Abbasov, Sh.D. Abasov and N.N. Hamidov
Studies related to the hydrocarbon condensate evaporation 26 (2000) 151
Abasov, Sh.D., see Abasov, M.T. 26 (2000) 151
Abbasov, Z.Y., see Abasov, M.T. 26 (2000) 151
Abdulkarim, M., see Almehaideb, R.A. 26 (2000) 291
Abou-Kassem, J.H.
Experimental and numerical modeling of sulfur plugging in carbonate reservoirs 26 (2000) 91
Abou-Kassem, J.H., see Tamim, M. 26 (2000) 283
Al-Khanbashi, A.S., see Almehaideb, R.A. 26 (2000) 291
Al-Khatiri, M.B., see Talabani, S. 26 (2000) 41
Ali, M.A., see Almehaideb, R.A. 26 (2000) 291
Almehaideb, R.A., A.S. Al-Khanbashi, M. Abdulkarim and M.A. Ali
EOS tuning to model full field crude oil properties using multiple well fluid PVT analysis 26 (2000) 291
Ameri, S., see Aminian, K. 26 (2000) 83
Aminian, K. and S. Ameri
Evaluation of the petroleum technology-based dry soil barrier 26 (2000) 83
Atlas, B., see Talabani, S. 26 (2000) 41

Bağci, S., see Tüzünoğlu, E. 26 (2000) 67
Bağci, S., see Türksoy, U. 26 (2000) 105
Bahrami, A., see Rashidi, F. 26 (2000) 311

Carley, R.J., see Nadim, F. 26 (2000) 169
Chaalal, O., see Saghir, M.Z. 26 (2000) 253
Chakma, A., see Chen, Z. 26 (2000) 273
Chakma, A., see Liu, L. 26 (2000) 301
Chen, Z., G.H. Huang and A. Chakma
Risk assessment of a petroleum-contaminated site through a multi-phase and multi-component modeling approach 26 (2000) 273

Farouq Ali, S.M., see Tamim, M. 26 (2000) 283
Fuller, G.A., see Liu, L. 26 (2000) 301

Gizem Gunal, O. and M.R. Islam
Alteration of asphaltic crude rheology with electromagnetic and ultrasonic irradiation 26 (2000) 263
Guo, H.C., see Liu, L. 26 (2000) 301

Hamdan, E.M., see Rabadi, N.J. 26 (2000) 241
Hamidov, N.N., see Abasov, M.T. 26 (2000) 151
Hermansen, H., G.H. Landa, J.E. Sylte and L.K. Thomas
Experiences after 10 years of waterflooding the Ekofisk Field, Norway 26 (2000) 11
Hoag, G.E., see Nadim, F. 26 (2000) 169
Huang, G.H., see Chen, Z. 26 (2000) 273
Huang, G.H., see Liu, L. 26 (2000) 301

Islam, M.R., see Kocabas, I. 26 (2000) 19
Islam, M.R., see Talabani, S. 26 (2000) 41
Islam, M.R., see Kocabas, I. 26 (2000) 211
Islam, M.R., see Kocabas, I. 26 (2000) 221
Islam, M.R., see Saghir, M.Z. 26 (2000) 253
Islam, M.R., see Gizem Gunal, O. 26 (2000) 263

Jamialahmadi, M. and F.G. Javadpour
Relationship of permeability, porosity and depth using an artificial neural network 26 (2000) 235
Javadpour, F.G., see Jamialahmadi, M. 26 (2000) 235

Kessel, D.G.
Global warming — facts, assessment, countermeasures 26 (2000) 157
Kocabas, I., M.R. Islam and H. Modarress
A wellbore model for field-scale modeling of asphaltene plugging 26 (2000) 19
Kocabas, I. and M.R. Islam
Concentration and temperature transients in heterogeneous porous media Part I: Linear transport 26 (2000) 211
Kocabas, I. and M.R. Islam
Concentration and temperature transients in heterogeneous porous media Part II: Radial transport 26 (2000) 221

Landa, G.H., see Hermansen, H. 26 (2000) 11
Liu, L., G.H. Huang, G.A. Fuller, A. Chakma and H.C. Guo
A dynamic optimization approach for nonrenewable energy resources management under uncertainty 26 (2000) 301
Liu, S., see Nadim, F. 26 (2000) 169

Mansoori, G.A., see Vazquez, D. 26 (2000) 49
Mehrnia, M., see Vasheghani-Farahani, E. 26 (2000) 179
Modarress, H., see Kocabas, I. 26 (2000) 19
Moradi-Araghi, A.
A review of thermally stable gels for fluid diversion in petroleum production 26 (2000) 1
Moshfeghian, M., see Nasrifar, Kh. 26 (2000) 143

Nadim, F., G.E. Hoag, S. Liu, R.J. Carley and P. Zack
Detection and remediation of soil and aquifer systems contaminated with petroleum products: an overview 26 (2000) 169
Nasrifar, Kh. and M. Moshfeghian
Computation of equilibrium hydrate formation temperature for CO_2 and hydrocarbon gases containing CO_2 in the presence of an alcohol, electrolytes and their mixtures 26 (2000) 143

Rabadi, N.J. and E.M. Hamdan
Free convection from inclined permeable walls embedded in variable permeability porous media with lateral mass flux 26 (2000) 241
Rangel-German, E. and F. Samaniego V
On the determination of the skin factor and the turbulence term coefficient through a single constant gas pressure test 26 (2000) 121
Ranjbar, M., see Schaffie, M. 26 (2000) 57
Ranjbar, M. and M. Schaffie
Improved treatment of acrylamide co- and terpolymers for water control in gas-producing and storage wells 26 (2000) 133
Rashidi, F., A. Bahrami and H. Soroush
Prediction of time required for onset of convection in a porous medium saturated with oil and a layer of gas underlying the oil 26 (2000) 311
Rose, W.
Myths about later-day extensions of Darcy's law 26 (2000) 187

Safieva, R.Z., see Syunyaev, R.Z. 26 (2000) 31
Safin, R.R., see Syunyaev, R.Z. 26 (2000) 31
Saghir, M.Z., O. Chaalal and M.R. Islam
Numerical and experimental modeling of viscous fingering during liquid–liquid miscible displacement 26 (2000) 253

Samaniego V, F., see Rangel-German, E. 26 (2000) 121
Schaffie, M. and M. Ranjbar
Geochemical alteration of crude oils during thermal recovery processes 26 (2000) 57
Schaffie, M., see Ranjbar, M. 26 (2000) 133
Soroush, H., see Rashidi, F. 26 (2000) 311
Sylte, J.E., see Hermansen, H. 26 (2000) 11
Syunyaev, R.Z., R.Z. Safieva and R.R. Safin
The influence of the internal structure and dispersity to structural–mechanical properties of oil systems 26 (2000) 31

Talabani, S., B. Atlas, M.B. Al-Khatiri and M.R. Islam
An alternate approach to downhole corrosion mitigation 26 (2000) 41
Tamim, M., J.H. Abou-Kassem and S.M. Farouq Ali
Recent developments in numerical simulation techniques of thermal recovery processes 26 (2000) 283
Thomas, L.K., see Hermansen, H. 26 (2000) 11
Türksoy, U. and S. Bağci
Improved oil recovery using alkaline solutions in limestone medium 26 (2000) 105
Tüzünoğlu, E. and S. Bağci
Scaled 3-D model studies of immiscible CO_2 flooding using horizontal wells 26 (2000) 67

Vasheghani-Farahani, E. and M. Mehrnia
Bio-physicochemical treatment of oil contaminated sea water 26 (2000) 179
Vazquez, D. and G.A. Mansoori
Identification and measurement of petroleum precipitates 26 (2000) 49
Vossoughi, S.
Profile modification using in situ gelation technology — a review 26 (2000) 199

Zack, P., see Nadim, F. 26 (2000) 169

ELSEVIER

Journal of Petroleum Science and Engineering 26 (2000) 323–327

JOURNAL OF PETROLEUM SCIENCE & ENGINEERING

www.elsevier.nl/locate/jpetscieng

Subject Index Volume 26 (2000)

Alcohol
Gas hydrate 26(1) 143–150
Carbon dioxide 26(1) 143–150
Inhibition 26(1) 143–150
Electrolytes 26(1) 143–150
Alkaline solutions
Oil recovery 26(1) 105–119
Limestone medium 26(1) 105–119
Asphaltene
Geochemical alteration 26(1) 57–65
Crude oil 26(1) 57–65
Resin 26(1) 57–65
Pyrobitumen 26(1) 57–65
Thermal oil recovery 26(1) 57–65
Low temperature oxidation 26(1) 57–65
Pyrolysis 26(1) 57–65
Thermocatalytic reaction 26(1) 57–65
Heavy oil 26(1) 263–272
Induction heating 26(1) 263–272
Numerical simulation 26(1) 263–272
Asphaltenes
Resins 26(1) 31–39
Phase transitions 26(1) 31–39
Oil disperse systems 26(1) 31–39
Barrier
Soil drying 26(1) 83–89
Drying of porous media 26(1) 83–89
Infiltration 26(1) 83–89
Bio-physicochemical
Water treatment 26(1) 179–185
Crude oil 26(1) 179–185
Microcosm 26(1) 179–185
Bottomhole pressure
Mechanical skin factor 26(1) 121–131
Turbulence term coefficient 26(1) 121–131
Constant gas pressure 26(1) 121–131
Carbonate reservoirs
Sulfur plugging 26(1) 91–104
Experimental 26(1) 91–104
Modeling 26(1) 91–104
Carbon dioxide
Gas hydrate 26(1) 143–150
Inhibition 26(1) 143–150
Electrolytes 26(1) 143–150
Alcohol 26(1) 143–150
Cationic copolymers
Polymer treatment 26(1) 133–141
Water control 26(1) 143–150
Gas storage wells 26(1) 143–150
Gas production wells 26(1) 143–150
Sulfonated acrylamide polymers 26(1) 143–150
Field test 26(1) 143–150
Chalk formations
Waterflood 26(1) 11–18
Ekofisk 26(1) 143–150
Reservoir 26(1) 143–150
Chance-constrained programming
Mixed integer linear programming 26(1) 301–309
Nonrenewable energy 26(1) 301–309
Optimization 26(1) 301–309
Resources allocation 26(1) 301–309
Uncertainty 26(1) 301–309
Chemical transport
Porous media 26(1) 211–220
Heat and mass transfer 26(1) 301–309
Double diffusion 26(1) 301–309
Wellbore 26(1) 221–233
Miscible displacement 26(1) 221–233
Solutal diffusivity 26(1) 221–233
Climate models
Global warming 26(1) 157–168
Greenhouse effect 26(1) 157–168
CO_2-emissions 26(1) 157–168
Global temperatures 26(1) 157–168
Fossil energy 26(1) 157–168
CO_2-emissions
Global warming 26(1) 157–168
Greenhouse effect 26(1) 157–168
Global temperatures 26(1) 157–168
Climate models 26(1) 157–168
Fossil energy 26(1) 157–168
CO_2 flood
Oil production 26(1) 199–209
Gelation 26(1) 157–168
Waterflood 26(1) 157–168
Profile modification 26(1) 157–168
Concentration
Petroleum precipitates 26(1) 49–55
Deposition techniques 26(1) 49–55
Condensate
Gas 26(1) 151–156
Hydrocarbon 26(1) 151–156
Fluid 26(1) 151–156
Pressure 26(1) 151–156
Temperature 26(1) 151–156
Thermodynamic 26(1) 151–156
Physical/chemical 26(1) 151–156
Evaporation 26(1) 151–156
Contact 26(1) 151–156
Constant gas pressure
Mechanical skin factor 26(1) 121–131
Turbulence term coefficient 26(1) 121–131
Bottomhole pressure 26(1) 121–131
Contact
Gas 26(1) 151–156
Condensate 26(1) 151–156
Hydrocarbon 26(1) 151–156
Fluid 26(1) 151–156
Pressure 26(1) 151–156
Temperature 26(1) 151–156
Thermodynamic 26(1) 151–156
Physical/chemical 26(1) 151–156
Evaporation 26(1) 151–156
Corrosion
Oil wells 26(1) 41–48
Surface casing 26(1) 41–48
Coupling effects
Transport processes 26(1) 187–198
Porous media systems 26(1) 187–198
Onsager (ORR) vs. Darcian formulations 187–198
Crude oil
Geochemical alteration 26(1) 57–65
Asphaltene 26(1) 57–65
Resin 26(1) 57–65

Pyrobitumen 26(1) 57–65
Thermal oil recovery 26(1) 57–65
Low temperature oxidation 26(1) 57–65
Pyrolysis 26(1) 57–65
Thermocatalytic reaction 26(1) 57–65
Bio-physicochemical 26(1) 179–185
Water treatment 26(1) 179–185
Microcosm 26(1) 179–185
Equations of state 26(1) 291–300
Modeling 26(1) 291–300
Reservoir 26(1) 291–300
Fluid properties 26(1) 291–300

Cylindrical porous media
Diffusion coefficient 26(1) 311–317
Instability theory 26(1) 311–317
Onset of convection 26(1) 311–317

Deposition techniques
Petroleum precipitates 26(1) 49–55
Concentration 26(1) 49–55

Depth
Neural network 26(1) 235–235
Porosity 26(1) 235–235
Permeability 26(1) 235–235

Developments
Reservoir simulation 26(1) 283–289
Modeling 26(1) 283–289
Thermal recovery 26(1) 283–289

Diffusion coefficient
Cylindrical porous media 26(1) 311–317
Instability theory 26(1) 311–317
Onset of convection 26(1) 311–317

Double diffusion
Chemical transport 26(1) 211–220
Porous media 26(1) 211–220
Heat and mass transfer 26(1) 211–220

Drying of porous media
Barrier 26(1) 83–89
Soil drying 26(1) 83–89
Infiltration 26(1) 83–89

Ekofisk
Waterflood 26(1) 11–18
Chalk formations 26(1) 11–18
Reservoir 26(1) 11–18

Electrolytes
Gas hydrate 26(1) 143–150
Carbon dioxide 26(1) 143–150
Inhibition 26(1) 143–150
Alcohol 26(1) 143–150

Equations of state
Modeling 26(1) 291–300
Crude oil 26(1) 291–300
Reservoir 26(1) 291–300
Fluid properties 26(1) 291–300

Evaporation
Gas 26(1) 151–156
Condensate 26(1) 151–156
Hydrocarbon 26(1) 151–156
Fluid 26(1) 151–156
Pressure 26(1) 151–156
Temperature 26(1) 151–156
Thermodynamic 26(1) 151–156
Physical/chemical 26(1) 151–156
Contact 26(1) 151–156

Experimental
Sulfur plugging 26(1) 91–104
Modeling 26(1) 91–104
Carbonate reservoirs 26(1) 91–104

Field simulation
Surface excess 26(1) 19–30
Wellbore models 26(1) 19–30
Permeability damage 26(1) 19–30
Miscible flooding 26(1) 19–30

Field test
Polymer treatment 26(1) 133–141
Water control 26(1) 133–141
Gas storage wells 26(1) 133–141
Gas production wells 26(1) 133–141
Sulfonated acrylamide polymers 26(1) 133–141
Cationic copolymers 26(1) 133–141

Fluid
Gas 26(1) 151–156
Condensate 26(1) 151–156
Hydrocarbon 26(1) 151–156
Pressure 26(1) 151–156
Temperature 26(1) 151–156
Thermodynamic 26(1) 151–156
Physical/chemical 26(1) 151–156
Evaporation 26(1) 151–156
Contact 26(1) 151–156

Fluid diversion
Thermally stable gels 26(1) 1–10
Petroleum 26(1) 151–156

Fluid properties
Equations of state 26(1) 291–300
Modeling 26(1) 291–300
Crude oil 26(1) 291–300
Reservoir 26(1) 291–300

Fossil energy
Global warming 26(1) 157–168
Greenhouse effect 26(1) 157–168
CO_2-emissions 26(1) 157–168
Global temperatures 26(1) 157–168
Climate models 26(1) 157–168

Free convection
Porous media 26(1) 241–251
Variable permeability 26(1) 241–251

Fuzzy relation analysis
Groundwater 26(1) 273–281
Petroleum 26(1) 273–281
Risk assessment 26(1) 273–281
Simulation 26(1) 273–281
Site contamination 26(1) 273–281
Subsurface 26(1) 273–281
Uncertainty 26(1) 273–281

Gas
Condensate 26(1) 151–156
Hydrocarbon 26(1) 151–156
Fluid 26(1) 151–156
Pressure 26(1) 151–156
Temperature 26(1) 151–156
Thermodynamic 26(1) 151–156
Physical/chemical 26(1) 151–156
Evaporation 26(1) 151–156
Contact 26(1) 151–156

Gas hydrate
Carbon dioxide 26(1) 143–150
Inhibition 26(1) 143–150
Electrolytes 26(1) 143–150
Alcohol 26(1) 143–150

Gas production wells
Polymer treatment 26(1) 133–141
Water control 26(1) 133–141
Gas storage wells 26(1) 133–141
Sulfonated acrylamide polymers 26(1) 133–141
Cationic copolymers 26(1) 133–141
Field test 26(1) 133–141

Gas storage wells
Polymer treatment 26(1) 133–141
Water control 26(1) 133–141
Gas production wells 26(1) 133–141
Sulfonated acrylamide polymers 26(1) 133–141
Cationic copolymers 26(1) 133–141
Field test 26(1) 133–141

Gelation
Oil production 26(1) 199–209
Waterflood 199–209
Profile modification 199–209
CO_2 flood 199–209

Geochemical alteration
Crude oil 26(1) 57–65
Asphaltene 26(1) 57–65
Resin 26(1) 57–65
Pyrobitumen 26(1) 57–65
Thermal oil recovery 26(1) 57–65
Low temperature oxidation 26(1) 57–65
Pyrolysis 26(1) 57–65
Thermocatalytic reaction 26(1) 57–65

Global temperatures
Global warming 26(1) 157–168
Greenhouse effect 26(1) 157–168
CO_2-emissions 26(1) 157–168
Climate models 26(1) 157–168

Fossil energy 26(1) 157–168

Global warming
Greenhouse effect 26(1) 157–168
CO_2-emissions 26(1) 157–168
Global temperatures 26(1) 157–168
Climate models 26(1) 157–168
Fossil energy 26(1) 157–168

Greenhouse effect
Global warming 26(1) 157–168
CO_2-emissions 26(1) 157–168
Global temperatures 26(1) 157–168
Climate models 26(1) 157–168
Fossil energy 26(1) 157–168

Groundwater
Hydrocarbon 26(1) 169–178
Soil analysis 26(1) 169–178
Volatile compounds 26(1) 169–178
Fuzzy relation analysis 26(1) 273–281
Petroleum 26(1) 273–281
Risk assessment 26(1) 273–281
Simulation 26(1) 273–281
Site contamination 26(1) 273–281
Subsurface 26(1) 273–281
Uncertainty 26(1) 273–281

Heat and mass transfer
Chemical transport 26(1) 211–220
Porous media 26(1) 211–220
Double diffusion 26(1) 211–220

Heavy oil
Asphaltene 26(1) 263–272
Induction heating 26(1) 263–272
Numerical simulation 26(1) 263–272

Horizontal wells
Water alternating gas 26(1) 67–81
Water–CO_2 injection 26(1) 67–81

Hydrocarbon
Gas 26(1) 151–156
Condensate 26(1) 151–156
Fluid 26(1) 151–156
Pressure 26(1) 151–156
Temperature 26(1) 151–156
Thermodynamic 26(1) 151–156
Physical/chemical 26(1) 151–156
Evaporation 26(1) 151–156
Contact 26(1) 151–156
Groundwater 26(1) 169–178
Soil analysis 26(1) 151–156
Volatile compounds 26(1) 151–156

Induction heating
Asphaltene 26(1) 263–272
Heavy oil 26(1) 263–272
Numerical simulation 26(1) 263–272

Infiltration
Barrier 26(1) 83–89
Soil drying 26(1) 83–89
Drying of porous media 26(1) 83–89

Inhibition
Gas hydrate 26(1) 143–150
Carbon dioxide 26(1) 143–150
Electrolytes 26(1) 143–150
Alcohol 26(1) 143–150

Instability theory
Cylindrical porous media 26(1) 311–317
Diffusion coefficient 26(1) 311–317
Onset of convection 26(1) 311–317

Limestone medium
Oil recovery 26(1) 105–119
Alkaline solutions 26(1) 105–119

Liquid–liquid miscible displacement
Modeling 26(1) 253–262
Viscous fingering 26(1) 253–262

Low temperature oxidation
Geochemical alteration 26(1) 57–65
Crude oil 26(1) 57–65
Asphaltene 26(1) 57–65
Resin 26(1) 57–65
Pyrobitumen 26(1) 57–65
Thermal oil recovery 26(1) 57–65
Pyrolysis 26(1) 57–65
Thermocatalytic reaction 26(1) 57–65

Mechanical skin factor
Turbulence term coefficient 26(1) 121–131
Constant gas pressure 26(1) 121–131
Bottomhole pressure 26(1) 121–131

Microcosm
Bio-physicochemical 26(1) 179–185
Water treatment 26(1) 179–185
Crude oil 26(1) 179–185

Miscible displacement
Chemical transport 26(1) 221–233
Wellbore 26(1) 221–233
Solutal diffusivity 26(1) 221–233

Miscible flooding
Field simulation 26(1) 19–30
Surface excess 26(1) 19–30
Wellbore models 26(1) 19–30
Permeability damage 26(1) 19–30

Mixed integer linear programming
Chance-constrained programming 26(1) 301–309
Nonrenewable energy 26(1) 301–309
Optimization 26(1) 301–309
Resources allocation 26(1) 301–309
Uncertainty 26(1) 301–309

Modeling
Sulfur plugging 26(1) 91–104
Experimental 26(1) 91–104
Carbonate reservoirs 26(1) 91–104
Viscous fingering 26(1) 253–262
Liquid–liquid miscible displacement 26(1) 253–262
Reservoir simulation 26(1) 283–289
Thermal recovery 26(1) 283–289
Developments 26(1) 283–289
Equations of state 26(1) 291–300
Crude oil 26(1) 291–300
Reservoir 26(1) 291–300
Fluid properties 26(1) 291–300

Neural network
Depth 26(1) 235–239
Porosity 26(1) 235–239
Permeability 26(1) 235–239

Nonrenewable energy
Chance-constrained programming 26(1) 301–309
Mixed integer linear programming 26(1) 301–309
Optimization 26(1) 301–309
Resources allocation 26(1) 301–309
Uncertainty 26(1) 301–309

Numerical simulation
Asphaltene 26(1) 263–272
Heavy oil 26(1) 263–272
Induction heating 26(1) 263–272

Oil disperse systems
Asphaltenes 26(1) 31–39
Resins 26(1) 31–39
Phase transitions 26(1) 31–39

Oil production
Gelation 26(1) 199–209
Waterflood 26(1) 199–209
Profile modification 26(1) 199–209
CO_2 flood 26(1) 199–209

Oil recovery
Alkaline solutions 26(1) 105–119
Limestone medium 26(1) 105–119

Oil wells
Corrosion 26(1) 41–48
Surface casing 26(1) 41–48

Onsager (ORR) vs. Darcian formulations
Transport processes 26(1) 187–198
Porous media systems 26(1) 187–198
Coupling effects 26(1) 187–198

Onset of convection
Cylindrical porous media 26(1) 311–317
Diffusion coefficient 26(1) 311–317
Instability theory 26(1) 311–317

Optimization
Chance-constrained programming 26(1) 301–309
Mixed integer linear programming 26(1) 301–309
Nonrenewable energy 26(1) 301–309
Resources allocation 26(1) 301–309

Uncertainty 26(1) 301–309
Permeability
Neural network 26(1) 235–239
Depth 26(1) 235–239
Porosity 26(1) 235–239
Permeability damage
Field simulation 26(1) 19–30
Surface excess 26(1) 19–30
Wellbore models 26(1) 19–30
Miscible flooding 26(1) 19–30
Petroleum
Thermally stable gels 26(1) 1–10
Fluid diversion 26(1) 1–10
Fuzzy relation analysis 26(1) 273–281
Groundwater 26(1) 273–281
Risk assessment 26(1) 273–281
Simulation 26(1) 273–281
Site contamination 26(1) 273–281
Subsurface 26(1) 273–281
Uncertainty 26(1) 273–281
Petroleum precipitates
Deposition techniques 26(1) 49–55
Concentration 26(1) 49–55
Phase transitions
Asphaltenes 26(1) 31–39
Resins 26(1) 31–39
Oil disperse systems 26(1) 31–39
Physical / chemical
Gas 26(1) 151–156
Condensate 26(1) 151–156
Hydrocarbon 26(1) 151–156
Fluid 26(1) 151–156
Pressure 26(1) 151–156
Temperature 26(1) 151–156
Thermodynamic 26(1) 151–156
Evaporation 26(1) 151–156
Contact 26(1) 151–156
Polymer treatment
Water control 26(1) 133–141
Gas storage wells 26(1) 133–141
Gas production wells 26(1) 133–141
Sulfonated acrylamide polymers 26(1) 133–141
Cationic copolymers 26(1) 133–141
Field test 26(1) 133–141
Porosity
Neural network 26(1) 235–239
Depth 26(1) 235–239
Permeability 26(1) 235–239
Porous media
Chemical transport 26(1) 211–220
Heat and mass transfer 26(1) 211–220
Double diffusion 26(1) 211–220
Free convection 26(1) 241–251
Variable permeability 26(1) 241–251
Porous media systems
Transport processes 26(1) 187–198
Coupling effects 26(1) 187–198
Onsager (ORR) vs. Darcian formulations 26(1) 187–198
Pressure
Gas 26(1) 151–156
Condensate 26(1) 151–156
Hydrocarbon 26(1) 151–156
Fluid 26(1) 151–156
Temperature 26(1) 151–156
Thermodynamic 26(1) 151–156
Physical/chemical 26(1) 151–156
Evaporation 26(1) 151–156
Contact 26(1) 151–156
Profile modification
Oil production 26(1) 199–209
Gelation 26(1) 199–209
Waterflood 26(1) 199–209
CO_2 flood 26(1) 199–209
Pyrobitumen
Geochemical alteration 26(1) 57–65
Crude oil 26(1) 57–65
Asphaltene 26(1) 57–65
Resin 26(1) 57–65
Thermal oil recovery 26(1) 57–65
Low temperature oxidation 26(1) 57–65
Pyrolysis 26(1) 57–65
Thermocatalytic reaction 26(1) 57–65
Pyrolysis
Geochemical alteration 26(1) 57–65
Crude oil 26(1) 57–65
Asphaltene 26(1) 57–65
Resin 26(1) 57–65
Pyrobitumen 26(1) 57–65
Thermal oil recovery 26(1) 57–65
Low temperature oxidation 26(1) 57–65
Thermocatalytic reaction 26(1) 57–65
Reservoir
Waterflood 26(1) 11–18
Chalk formations 26(1) 11–18
Ekofisk 26(1) 11–18
Equations of state 26(1) 291–300
Modeling 26(1) 291–300
Crude oil 26(1) 291–300
Fluid properties 26(1) 291–300
Reservoir simulation
Modeling 26(1) 283–289
Thermal recovery 26(1) 283–289
Developments 26(1) 283–289
Resin
Geochemical alteration 26(1) 57–65
Crude oil 26(1) 57–65
Asphaltene 26(1) 57–65
Pyrobitumen 26(1) 57–65
Thermal oil recovery 26(1) 57–65
Low temperature oxidation 26(1) 57–65
Pyrolysis 26(1) 57–65
Thermocatalytic reaction 26(1) 57–65
Resins
Asphaltenes 26(1) 31–39
Phase transitions 26(1) 31–39
Oil disperse systems 26(1) 31–39
Resources allocation
Chance-constrained programming 26(1) 301–309
Mixed integer linear programming 26(1) 301–309
Nonrenewable energy 26(1) 301–309
Optimization 26(1) 301–309
Uncertainty 26(1) 301–309
Risk assessment
Fuzzy relation analysis 26(1) 273–281
Groundwater 26(1) 273–281
Petroleum 26(1) 273–281
Simulation 26(1) 273–281
Site contamination 26(1) 273–281
Subsurface 26(1) 273–281
Uncertainty 26(1) 273–281
Simulation
Fuzzy relation analysis 26(1) 273–281
Groundwater 26(1) 273–281
Petroleum 26(1) 273–281
Risk assessment 26(1) 273–281
Site contamination 26(1) 273–281
Subsurface 26(1) 273–281
Uncertainty 26(1) 273–281
Site contamination
Fuzzy relation analysis 26(1) 273–281
Groundwater 26(1) 273–281
Petroleum 26(1) 273–281
Risk assessment 26(1) 273–281
Simulation 26(1) 273–281
Subsurface 26(1) 273–281
Uncertainty 26(1) 273–281
Soil analysis
Groundwater 26(1) 169–178
Hydrocarbon 26(1) 169–178
Volatile compounds 26(1) 169–178
Soil drying
Barrier 26(1) 83–89
Drying of porous media 26(1) 83–89
Infiltration 26(1) 83–89
Solutal diffusivity
Chemical transport 26(1) 221–233
Wellbore 26(1) 221–233
Miscible displacement 26(1) 221–233
Subsurface
Fuzzy relation analysis 26(1) 273–281
Groundwater 26(1) 273–281

Petroleum 26(1) 273–281
Risk assessment 26(1) 273–281
Simulation 26(1) 273–281
Site contamination 26(1) 273–281
Uncertainty 26(1) 273–281

Sulfonated acrylamide polymers
Polymer treatment 26(1) 133–141
Water control 26(1) 133–141
Gas storage wells 26(1) 133–141
Gas production wells 26(1) 133–141
Cationic copolymers 26(1) 133–141
Field test 26(1) 133–141

Sulfur plugging
Experimental 26(1) 91–104
Modeling 26(1) 91–104
Carbonate reservoirs 26(1) 91–104

Surface casing
Corrosion 26(1) 41–48
Oil wells 26(1) 41–48

Surface excess
Field simulation 26(1) 19–30
Wellbore models 26(1) 19–30
Permeability damage 26(1) 19–30
Miscible flooding 26(1) 19–30

Temperature
Gas 26(1) 151–156
Condensate 26(1) 151–156
Hydrocarbon 26(1) 151–156
Fluid 26(1) 151–156
Pressure 26(1) 151–156
Thermodynamic 26(1) 151–156
Physical/chemical 26(1) 151–156
Evaporation 26(1) 151–156
Contact 26(1) 151–156

Thermally stable gels
Fluid diversion 26(1) 1–10
Petroleum 26(1) 1–10

Thermal oil recovery
Geochemical alteration 26(1) 57–65
Crude oil 26(1) 57–65
Asphaltene 26(1) 57–65
Resin 26(1) 57–65
Pyrobitumen 26(1) 57–65
Low temperature oxidation 26(1) 57–65
Pyrolysis 26(1) 57–65
Thermocatalytic reaction 26(1) 57–65

Thermal recovery
Reservoir simulation 26(1) 283–289
Modeling 26(1) 283–289
Developments 26(1) 283–289

Thermocatalytic reaction
Geochemical alteration 26(1) 57–65
Crude oil 26(1) 57–65
Asphaltene 26(1) 57–65
Resin 26(1) 57–65
Pyrobitumen 26(1) 57–65
Thermal oil recovery 26(1) 57–65
Low temperature oxidation 26(1) 57–65
Pyrolysis 26(1) 57–65

Thermodynamic
Gas
Condensate 26(1) 151–156
Hydrocarbon 26(1) 151–156
Fluid 26(1) 151–156
Pressure 26(1) 151–156
Temperature 26(1) 151–156
Physical/chemical 26(1) 151–156
Evaporation 26(1) 151–156
Contact 26(1) 151–156

Transport processes
Porous media systems 26(1) 187–198
Coupling effects 26(1) 187–198
Onsager (ORR) vs. Darcian formulations 26(1) 187–198

Turbulence term coefficient
Mechanical skin factor 26(1) 121–131
Constant gas pressure 26(1) 121–131
Bottomhole pressure 26(1) 121–131

Uncertainty
Fuzzy relation analysis 26(1) 273–281
Groundwater 26(1) 273–281
Petroleum 26(1) 273–281
Risk assessment 26(1) 273–281
Simulation 26(1) 273–281
Site contamination 26(1) 273–281
Subsurface 26(1) 273–281
Chance-constrained programming 26(1) 301–309
Mixed integer linear programming 26(1) 301–309
Nonrenewable energy 26(1) 301–309
Optimization 26(1) 301–309
Resources allocation 26(1) 301–309

Variable permeability
Free convection 26(1) 241–251
Porous media 26(1) 241–251

Viscous fingering
Modeling 26(1) 253–262
Liquid–liquid miscible displacement 26(1) 253–262

Volatile compounds
Groundwater 26(1) 169–178
Hydrocarbon 26(1) 169–178
Soil analysis 26(1) 169–178

Water alternating gas
Horizontal wells 26(1) 67–81
Water–CO_2 injection 26(1) 67–81

Water–CO_2 injection
Water alternating gas 26(1) 67–81
Horizontal wells 26(1) 67–81

Water control
Polymer treatment 26(1) 133–141
Gas storage wells 26(1) 133–141
Gas production wells 26(1) 133–141
Sulfonated acrylamide polymers 26(1) 133–141
Cationic copolymers 26(1) 133–141
Field test 26(1) 133–141

Waterflood
Chalk formations 26(1) 11–18
Ekofisk 26(1) 11–18
Reservoir 26(1) 11–18
Oil production 26(1) 199–209
Gelation 26(1) 199–209
Profile modification 26(1) 199–209
CO_2 flood 26(1) 199–209

Water treatment
Bio-physicochemical 26(1) 179–185
Crude oil 26(1) 179–185
Microcosm 26(1) 179–185

Wellbore
Chemical transport 26(1) 221–233
Miscible displacement 26(1) 221–233
Solutal diffusivity 26(1) 221–233

Wellbore models
Field simulation 26(1) 19–30
Surface excess 26(1) 19–30
Permeability damage 26(1) 19–30
Miscible flooding 26(1) 19–30